






U-Profile gleichschenkelig
aus H-PVC, ABS möglich








Art.-Nr.	Form	Breite b	Breite b1	Höhe h	Stärke s	Stärke s1	Gewicht g/m	Mindestmenge / m
1573	A	6,0	3,0	13,0	1,5		63	500
1520	B	7,0	3,0	7,0	2,0		38	750
347	A	9,0	6,0	7,5	1,5		45	750
908	A	9,0	3,0	35,0	2,0		220	180
1401	A	10,0	7,0	13,0	1,5		70	500
366	A	12,0	9,0	18,5	1,5		105	300
1119	A	13,0	10,6	19,0	1,2		90	400
1425	D	13,2	7,2	10,0	3,0		125	250
319	A	14,0	10,4	16,5	1,8	2,0	130	250
1141	A	15,0	12,0	10,0	1,5		125	250
1724	A	15,0	9,0	15,0	1,5		65	430
724	B	16,0	9,5	10,0	3,0		94	320
595	A	19,0	15,0	30,0	1,5		170	200
1126	D	19,5	15,5	14,0	2,0		130	250
561	A	20,0	16,0	8,0	2,0		90	320
150	A	20,0	18,0	14,0	1,0		75	450
1114	A	20,0	15,0	14,0	2,5		160	200
610	A	20,0	16,0	20,0	2,0		165	200
1836	E	23,3	19,0	8,0	2,0		420	80
1146	A	24,0	18,5	16,0	1,5		115	260
1145	A	24,0	18,0	45,0	2,0		320	95
1309	D	25,0	19,0	15,0	2,0	3,0	210	160
1305	A	25,0	19,0	25,0	3,0		310	110
647	A	26,0	23,0	31,0	1,5		180	170
784	A	27,5	25,5	20,0	1,0		98	325
1661	B	32,0	25,0	35,0	3,0		430	80
1144	A	33,0	27,0	45,0	2,0		355	100
1706	A	36,0	30,0	19,0	3,0		305	110
1337	A	38,0	34,0	15,0	2,0		190	170
1483	E	40,0	34,0	30,0	3,0		410	80
1891	A	40,0	30,0	60,0	5,0		1082	30

Maß und Formänderung vorbehalten.

- Seite 1 von 3 -

U-Profile gleichschenkelig
aus H-PVC, ABS möglich





Art.-Nr.	Form	Breite b	Breite b1	Höhe h	Stärke s	Stärke s1	Gewicht g/m	Mindestmenge / m
1440	E	41,0	38,0	15,0	1,5		150	200
2194	A	41,0	40,0	3,0			500	60
795	C	44,0	40,0	15,0	2,0	1,5	200	150
1426	E	45,0	40,0	15,0	2,5		260	120
244	A	45,0	29,0	20,0	8,0		820	40
1890	A	45,0	41,0	36,0	2,0		340	90
1443	B	46,0	40,0	48,0	3,0		590	80
1509	B	56,0	49,0	30,0	3,0		495	80
1495	A	58,0	48,0	46,0	5,0		1020	30
1865	A	63,0	60,0	50,0	1,5		360	100
557	B	67,0	61,0	60,0	3,0		810	40
1769	B	70,0	64,0	20,0	2,0		320	95
2272	B	70,0	67,0	20,0	1,5		250	105
2273	B	70,0	67,0	30,0	1,5		290	105
341	B	87,0	80,0	40,0	3,5		840	40
2242	B	89,0	75,0	25,0	7,0		1340	25
1833	A	94,0	88,0	8,5	3,0	2,0	450	80
2088	A	99,0	94,6	13,5	3,0	2,0	500	60
2274	B	100,0	97,0	20,0	1,5		315	100
841	E	101,0	98,0	37,5	1,5		390	80
921	A	108,0	101,0	40,0	3,5		805	40
1614	E	126,0	116,0	45,0	5,0		1550	40
1680	E	141,0	135,0	40,0	3,0		965	40
1440	E	41,0	38,0	15,0	1,5		150	200
1426	E	45,0	40,0	15,0	2,5		260	120
841	E	101,0	98,0	37,5	1,5		390	80
1614	E	126,0	116,0	45,0	5,0		1550	40
2586	A	137,0	131,0	80,0	3,0		850	35
1680	E	141,0	135,0	40,0	3,0		965	40
2243	B	171,0	157,0	25,0	7,0		2247	15

Maß und Formänderung vorbehalten.

- Seite 2 von 3 -

U-Profile ungleichschenklig
in H-PVC, ABS möglich



Art.-Nr.	Form	Breite b	Breite b1	Höhe h	Höhe h1	Stärke s	Gewicht g/m	Mindestmenge / m
886	A	3,7	3,3	14,0	7,0	0,8	27	1200
437	A	5,0	4,0	11,5	7,0	0,8	25	1200
1933	C	9,0	6,5	25,0	20,0	1,25	92	350
1541	B	15,5	15,0	24,5	11,0	1,5	105	300
716	B	20,0	16,0	41,5	16,5	1,5	180	180
930	A	23,5	23,5	61,0	21,5	2,0	220	140
1786	A	28,0	26,0	40,0	12,0	1,5	190	150
294	A	37,0	36,0	25,0	20,0	2,0	245	120
1809	A	53,0	51,0	40,0	12,0	1,5	265	110
329	A	77,0	76,0	52,0	20,0	2,0	435	435